



# City of Fond du Lac

## First on the Lake

Website: [www.ci.fond-du-lac.wi.us](http://www.ci.fond-du-lac.wi.us)

City-County Government Center  
160 S. Macy Street~P.O. Box 150~Fond du Lac, WI 54936-0150

September 28, 2011

ADDENDUM #1  
RUEPING-MACY STORMWATER QUALITY POND  
CITY OF FOND DU LAC, WI  
FILE NO. 2011-086

NOTICE IS HEREBY GIVEN THAT the following changes have been made on the above titled project.

Clarification - Bid Item No. 68 – At CONTRACTORS option, CONTRACTOR may substitute reinforced precast concrete box outlet structure per specification 01230. Bid price must reflect CONTRACTOR's option. Substitution will not be accepted after bid award.

Clarification - Page SP-9, Veolia ES Glacier Ridge Landfill located at N7296 County Road V, Horicon, WI 53032 is also a WDNR-approved landfill/bioremediation facility.

Bid No. 9 in the Schedule of Prices has been updated to reflect the separation of Contaminated Material. Some Contaminated Material may be used as Direct Cover (new Bid Item 9b) at a landfill. Some Contaminated Material will need to be Direct Landfilled (new Bid Item 9a). The revised Schedule of Prices is attached to this addendum. Attach the revised schedule of prices to the Specifications, Proposal and Contract book in the bid submittal, stapled to (or replacing if the online spreadsheet is used) to the original PC 3-5.

Page PC-13, paragraph one, has been revised. The paragraph now reads "The Contractor agrees to commence work under this Contract on a date to be specified in a written order from the Owner and does further agree to have substantial work completed by July 27, 2012. Substantial work includes all work under this Contract with the exception of the emergent zone plantings (assuming an ideal planting time for emergent plantings of Fall 2012) and work associated with connection and start-up of the pumps assuming an estimated pump delivery date of early-to-mid September. All contract work shall be complete by October 15, 2012."

Page SP-1, Start and Finish Dates, paragraph three, has been revised. The paragraph now reads, "Within 10 days prior to the preconstruction conference, the Contractor must submit to the Engineer a schedule for all proposed construction activities. All work shall be substantially complete by **July 27, 2012**. Substantial work includes all work under this Contract with the exception of the emergent zone plantings (assuming an ideal planting time for emergent plantings of Fall 2012) and work associated with connection and start-up of the pumps assuming an estimated pump delivery date of early-to-mid September. All contract work shall be complete by **October 15, 2012**."

Page SP-3, Subsurface and Latent Physical Conditions, paragraph one, has been revised. "Limited soil boring information and environmental reports are included on the plan set and on the city's website. Bidders are advised to examine the construction site, the soil boring information and environmental reports to assure themselves of the condition which will be encountered. On this project, adjustments, change orders, or claims will not be considered for any substance or latent physical conditions indicated on the soil borings and environmental reports."

Please acknowledge receipt of addendum #1 as a notation on the Proposal document.

Sincerely,

  
Nick Waldschmidt  
Civil Engineer I

**City of Fond du Lac**  
**Rueping-Macy Stormwater Quality Pond (REVISED 9-28-11)**  
**File Number 2011-086**

ITEM NO.	ITEM DESCRIPTION	QTY.	UNIT	UNIT COST	TOTAL COST
1	Mobilization	1	LS		\$ -
2	Install Clay Liner	8,514	CY		\$ -
3	Furnish & Install 12" Dia. Class IV RCP	283	LF		\$ -
4	Furnish & Install 42" Dia. Class II RCP	66	LF		\$ -
5	Furnish & Install 12" Dia. PVC	59	LF		\$ -
6	Clearing and Grubbing	1	LS		\$ -
7	Excavate and Stockpile Clay Cap	27,243	CY		\$ -
8	Remove & Dispose of Specified Force Main	54	LF		\$ -
9	Contaminated Soil Management				
9a	Direct Landfill	21,874	TON		\$ -
9b	Direct Cover	4,166	TON		\$ -
10	Furnish and Install Contaminant Migration Barrier	5	EA		\$ -
11	Haul & Dispose of Excess Clay Material	18,729	CY		\$ -
12	Furnish & Install Hydraulic Barrier Wall	11,200	SF		\$ -
13	Furnish & Install Granular Trench Backfill Material	1,100	CY		\$ -
14	Furnish & Install Crushed Stone for Unstable Trench Bottom and Subgrade Stabilization	1,610	TON		\$ -
15	Perform Utility Location Order (ULO)	5	EA		\$ -
16	Furnish & Install 48" Dia. Storm Manhole w/ frame and cover	2	EA		\$ -
17	Furnish & Install 6" Dia. Ductile Iron (Flow Splitter Drain Pipe)	23	LF		\$ -
18	Furnish & Install 36" Dia. Ductile Iron Force Main	81	LF		\$ -
19	Furnish & Install 36" Dia. 22.5 deg Ductile Iron Bend	4	EA		\$ -
20	Furnish & Install 36" Dia. Mechanical Coupling	1	EA		\$ -
21	Furnish & Install 42" Dia. PVC Force Main	545	LF		\$ -
22	Furnish & Install 42" Dia. Ductile Iron Force Main	20	LF		\$ -
23	Furnish & Install 42" Dia. 45 deg Ductile Iron Bend	5	EA		\$ -
24	Furnish & Install Concrete Thrust Block with Steel Strap	2	EA		\$ -
25	Furnish & Install Trench Insulation	240	LF		\$ -
26	Plug Existing 36" Dia. Storm Sewer Force Main	1	EA		\$ -
27	Remove Existing 36" Dia. Storm Sewer Force Main at Outfall	1	LS		\$ -
28	Abandon Existing 36" Dia. Storm Sewer Force Main	165	LF		\$ -
29	Furnish & Install, Maintain Force Main Test Station	3	EA		\$ -
30	Traffic Control	1	LS		\$ -
31	Remove Existing Concrete Sidewalk	21	SY		\$ -
32	Remove Existing Curb and Gutter	80	LF		\$ -

PC-5-A

**City of Fond du Lac**  
**Rueping-Macy Stormwater Quality Pond (REVISED 9-28-11)**  
**File Number 2011-086**

ITEM NO.	ITEM DESCRIPTION	QTY.	UNIT	UNIT COST	TOTAL COST
33	Remove Asphaltic Surface	655	SY		\$ -
34	Remove Concrete Pavement	161	SY		\$ -
35	Pavement Saw Cutting	480	LF		\$ -
36	Furnish & Install 5-inch Thick Concrete Sidewalk	189	SF		\$ -
37	Furnish & Install 30" Concrete Curb and Gutter	215	LF		\$ -
38	Furnish & Install 6-inch Thick Aggregate Underlayment	161	SY		\$ -
39	Furnish & Install 8-inch Thick Aggregate Underlayment	655	SY		\$ -
40	Furnish & Install 2.75-inch thick, Asphalt Binder Course, Type E-1	50	SY		\$ -
41	Furnish & Install 1.75-inch Thick, Asphalt Surface Course, Type E-1	50	SY		\$ -
42	Furnish & Install 2.5-inch thick Asphalt Surface Course, Type E-0.3	650	SY		\$ -
43	Furnish & Install Concrete Pavement	363	SY		\$ -
44	Furnish & Install Detectable Warning Field	4	EA		\$ -
45	Furnish & Install 3-inch Thick, Type E-1, Temporary Asphalt Pavement Patch	215	SY		\$ -
46	Furnish & Install Topsoil	1,200	CY		\$ -
47	Furnish & Install Emergent Plants	3,300	EA		\$ -
48	Furnish & Install Emergent Zone Seed	2,060	SY		\$ -
49	Furnish & Install Shoreline Zone Seed	2,062	SY		\$ -
50	Furnish & Install Side Slope Zone Seed	3,470	SY		\$ -
51	Furnish & Install Restoration Area Seed	590	SY		\$ -
52	Furnish, Install, Maintain, & Remove Aquascaping Protection	1,570	LF		\$ -
53	Perform Maintenance during 2-yr Warranty Period	1	LS		\$ -
54	Furnish, Install, Maintain & Remove Tree Construction Barrier Fence	45	LF		\$ -
55	Furnish & Install 3-inch Washed Stone	7	CY		\$ -
56	Furnish, Install, Maintain & Remove Tracking Pad	1	EA		\$ -
57	Furnish & Install Erosion Matting Class I, Type A	3,865	SY		\$ -
58	Furnish & Install Erosion Matting Class III, Type B	34	SY		\$ -
59	Furnish & Install Type HR Geotextile Fabric	315	SY		\$ -
60	Furnish & Install Medium Riprap	116	TON		\$ -
61	Furnish & Install Heavy Riprap	246	TON		\$ -
62	Furnish, Install, Maintain & Remove Type D Inlet Protection	10	EA		\$ -
63	Furnish, Install, Maintain & Remove Silt Fence	950	LF		\$ -
64	Furnish & Install Polymer Soil Stabilizer	0.25	Acre		\$ -
65	Furnish, Install, Maintain & Remove Turbidity Barrier	120	LF		\$ -
66	Furnish & Install Hydromulch	380	SY		\$ -

PC-5-B

**City of Fond du Lac**  
**Rueping-Macy Stormwater Quality Pond (REVISED 9-28-11)**  
**File Number 2011-086**

ITEM NO.	ITEM DESCRIPTION	QTY.	UNIT	UNIT COST	TOTAL COST
67	Furnish & Install Pump Station Flow Splitter Structure	1	LS		\$ -
68	Furnish & Install 5'x11.5' Outlet Structure with Grate	1	LS		\$ -
69	Furnish & Install Cast-in-Place Concrete Apron Endwall	1	LS		\$ -
70	Furnish & Install Concrete Anchor	1	EA		\$ -
71	Furnish & Install Anti-seep Collar	1	EA		\$ -
72	Existing Pump Station Structural Retrofit	1	LS		\$ -
73	Furnish & Install 6" Gate Valve and Valve Box	1	EA		\$ -
74	Furnish & Install Tideflex 42" Dia. Downstream Flanged Checkmate Check Valve	2	EA		\$ -
75	Furnish & Install Pump Station Mechanical	1	LS		\$ -
76	Furnish & Install Pump Station Electrical, including VFD's	1	LS		\$ -
77	Furnish & Install Pump Station Back-Up Power Generator and Connections	1	LS		\$ -
78	Furnish & Install Piezometers	3	EA		\$ -
				<b>Total</b>	

PC-5-C